


Operating Instructions

OBLAST



 **Bluestreak**equipment
The world's best magnetic cleaning equipment

Bluestreak Equipment
1645 Hwy #3, Delhi
Ontario, Canada
N4B2W6


NOTICE: Before operating your Oblast magnetic sweeper ensure the Oblast is installed on your vehicle according to the Oblast Assembly Instructions.

Oblast Operating Instructions

Step 1 – Drive around and pick up metal debris.

The Bottom of the magnet should be 2” to 6” inches above the ground for the best performance. The magnet should always be as low as possible to the ground for the best performance, but it should not contact the ground. Usually a sweeping height from the bottom of the magnet to the ground of 3” to 4” inches works well.


Make sure the T-Handles are tightened securely so the magnet is not able to slide on the forks.



Step 2 – Clean off the Magnet.

Stop the forklift. Apply the parking brake. Lift the magnet upwards. Push/Pull down on one of the Release Handles on each side of the magnet. After the debris has fallen off, Push/Pull up on release handle to return it to its sweeping position.

This clean off process can also be done over a debris bin.



Step 3 – Continue driving around to collect additional metal debris.



Bluestreak Equipment • 1645 Hwy #3 • Delhi • Ontario • Canada • N4B2W6
www.blustreakequipment.com