

BLUESTREAK EQUIPMENT FORKLIFT MAGNETIC SWEEPER CATALOGUE

UPLAND • OBLAST • BLUETANG • AETHER • EIGER • REMORAS • WRASSE • NOMIC • FORAGER • GUARDIAN • KURSK • NAOS

 **Bluestreak**equipment MAGNETICS
APPLICATION DRIVEN DESIGN

BLUESTREAK FORKLIFT MAGNETIC SWEEPER LINE

Bluestreak Equipment is proud to offer a comprehensive line of magnetic sweepers specifically designed to enhance the functionality of any forklift. The following products can be utilized in any application where metal debris may be produced during manufacturing or accumulated through industry operations. Bluestreak equipment offers heavy duty magnets made to survive the harsh terrain of outdoor yards as well as sleek units that won't impede the maneuverability of warehouse or factory floor lift trucks. Each magnet comes permanently charged and is packed in the sweeper housings without spacers for maximum power.

Fork Mounted Sweepers: Best utilized when loose metal needs to be collected and disposed of easily, the entire sweeper can be lifted over a scrap bin to clean off.

Hanging Magnets: can be attached permanently to almost any machine and have various levels of power and features to suit each sweeper to different situations. They are the Swiss army knife of magnetic implements.

Rear Pin mounted magnets: Stay mounted on forklift to collect metal debris while performing the forklift's regular duties. Can be easily cleaned off and have provisions to operate in tight spaces.



Manufacturing In House

All of our products are designed and manufactured on site at our facilities in Ontario, Canada.



Application Driven Design

We have manufactured and developed application driven magnetic products since 2005.



Rural Roots

Working from rural southern Ontario, our business has grown and now sprawls over several properties using former agricultural buildings.

TABLE OF CONTENTS

Fork Mounted Magnetic Sweepers

- Upland.....3
- Oblast.....5
- Bluetang.....7

Hanging Magnetic Sweepers

- Aether.....9
- Eiger.....11
- Remoras.....13
- Wrasse.....15
- Nomic.....17

Rear Pin Mounted Magnetic Sweepers

- Forager.....19
- Guardian.....21
- Kursk.....23
- Naos.....25

Upland Specifications.....28

Oblast Specifications.....29

Bluestang Specifications.....30

Aether Specifications.....31

Eiger Specifications.....32

Remoras Specifications.....34

Wrasse Specifications.....35

Nomic Specifications.....38

Forager Specifications.....39

Guardian Specifications.....40

Kursk Specifications.....41

Naos Specifications.....42

UPLAND MAGNETIC SWEEPER

The UPLAND is a fork mounted magnetic sweeper that can pick up any ferrous debris such as: nails, screws, wire, discarded fabrication material, bolts, nuts, pins, screwdrivers, wrenches, etc. The debris can easily be dumped into a bin using the flip down stainless-steel debris tray.



The UPLAND features 10" of vertical suspension travel and 360 degrees of pivot movement rolling on 16.5" flat proof tires. This allows operators to set the UPLAND at a sweeping height of 1 – 4" inches which will be maintained over rough terrain by the ground tracking system.

ROUGH TERRAIN HEAVY DUTY FORK MOUNTED MAGNET!

Additional Features


- Rigid Debris Pan will not flex from side to side during clean off when you only use one of the Release handles, both sides of the Debris Pan release at the same time
- Upward clamping fork Pockets for the safest, most secure connection to the forklift
- Durable powder coat finish on steel frame
- 10.75" inch maximum pickup height (using a 2 ½" inch nail in a bench test)
- UHMW bushings on all pivot points
- Quick Assembly

The Upland comes in a standard size to fit most indoor/outdoor forklifts.

The 5.625" inch wide and 3.625" inch high fork pockets on the UPLAND are on 22" centers.

The UPLAND uses permanently charged grade C8 magnets that will never need to be recharged. Power will never decrease, ensuring years of use.

Heavy Duty Construction



OBLAST MAGNETIC SWEEPER

The OBLAST forklift magnet is a fork mount design that allows you to use your forklift to pick up ferrous metal debris and then lift the OBLAST over a disposal / scrap bin for easy removal by using the easy flip down pivoting stainless steel debris tray.



Ground strike protection is provided by the angled front and rear of the stainless steel debris tray which reduces the width of the bottom flat section and therefore limits magnet contact with the ground, and prevents damage if the magnet does contact the ground because there is no hard edge to “catch” on the ground.

Upward clamping fork pockets provides greater contact of the fork pockets with the forklift forks and therefore provides greater stability to reduce magnet “slip-page” on the forks.

HEAVY DUTY FORK MOUNTED MAGNET!

Additional Features


- Rigid Debris Pan will not flex from side to side during clean off when you only use one of the Release handles, both sides of the Debris Pan release at the same time.
- Upward clamping fork Pockets for the safest, most secure connection to the forklift
- Durable painted finish on steel and stainless steel
- 10.5" inch maximum pickup height (using a 2 ½" inch nail in a bench test)
- UHMW bushings on Debris Pan pivot points

The 7" inch wide and 3.375" inch high fork pockets on the OBLAST are on 24" inch centers.

The OBLAST uses permanently charged grade C8 magnets that will never need to be recharged. Power will never decrease, ensuring years of use.


The 52" inch width is just wider than the forklift width including the forklift wheels to ensure the area directly in front of the forklift wheels is swept as you drive.

Heavy Duty Construction



BLUETANG FORKLIFT MAGNET

The Bluetang magnetic sweeper is a fork mounted design for all forklift sizes designed for temporary mounting and use in dirt and gravel conditions where debris is embedded, and surfaces can benefit from continued grooming to reduce potholes and bumps.



Easily attach the Bluetang to the front forks of any forklift and remove ferrous metal debris quickly and easily. The Bluetang has a Debris Digging Rake that loosens debris partially buried so that the magnet can pick it.


MAGNETIC SWEEPER FOR GRAVEL & DIRT YARDS

Additional Features

- Available in 5, 6, 7 and 8 foot magnet widths.
- Available with optional Quick Clean Off Sleeve.
- Comes standard with down straps to secure the sweeper to the forklift.
- Comes standard with stands allowing the unit to sit upright when not in use even with Debris Digging Rake in the down position.
- 8 1/2" Maximum lifting height (using a 2 1/2" nail)

Inside dimensions of the fork pockets are 7 and 5/8" wide and 1 and 5/8" high and can handle a wide variety of fork sizes.

Quicker and faster than other methods of picking up metal debris because it mounts to your existing forklift.





AETHER HANGING MAGNET

The AETHER magnet was designed for those dirt and gravel industrial and commercial lots that big Outdoor forklifts many times work in. If you have metal debris and rough yards and roads where more ground strike prevention is needed to protect the magnet than the EIGER provides, but less ground strike prevention than the REMORAS provides, the AETHER may just be the ticket.



The 10" x 3" flat proof bump wheels on the ends prevent the magnet from hitting the ground and from sinking into loose surfaces, and the wheeled outriggers provide additional ground strike prevention in the middle of the magnet's overall length.


Each outrigger has a wheel on each side of the magnet. Those wheels are 4" x 4" in size and made of Polypropylene. The wheels extend down below the bottom of the Quick Clean Off Sleeve by 0.75" inches ensuring that the wheels hit the ground before the magnet does.

FOR EXTRA GROUND STRIKE PROTECTION!

Additional Features

- Permanently charged Grade C8 magnet.
- Durable and Protective PVC Quick Clean Off Sleeve.
- Rugged Durability and construction.
- Available in 4 different sweeping widths.
- Wrap Around Feature to hold onto debris.
- Comes with 6 stabilizing chains.
- Flat Proof 10" x 3" tires with 5/8" ball bearings, each with a 100kg (220lb) rating.

The Aether comes in 4 different sweeping widths of 62", 74", 86" and 98" to accommodate many different vehicle sizes and uses. The Aether can be front, mid or rear mounted on a variety of vehicles as long as enough clearance and space is present.



EIGER HANGING MAGNET

The EIGER was designed for those slightly more off-road surfaces with more uneven surfaces such as dirt and gravel where potholes and bumps exist. Designed with wide wheels to stay on top of those surfaces.



The “Wrap Around” feature ensures debris never gets wiped off the bottom of the magnet. The debris that slides off the bottom just snaps onto the back of the magnet.

The protective bump wheels allow you to hang the magnet lower for better performance than would be possible without bump wheels.

A HANGING MAGNET MADE FOR MID MOUNTING UNDER LARGE OUTDOOR FORKLIFTS


The Eiger uses permanently charged grade C8 magnets that will never need to be recharged. Power will never decrease, ensuring years of use.

Additional Features

- The Eiger comes almost fully assembled and is easy to install and setup.
- Protective Bump wheels prevent the magnet from hitting the ground
- Durable and Protective PVC Quick Clean Off Sleeve.
- Comes with 4 Stabilizing Chains
- Available in 6 different sweeping widths
- Permanently charged Grade C8 magnets.

The Eiger is designed as an all-terrain magnet which means it is designed with our “Wrap Around” feature.

The “Wrap Around” feature ensures debris never gets wiped off the bottom of the magnet. The debris that slides off the bottom just snaps onto the back of the magnet.



REMORAS HANGING MAGNET

The Remoras magnetic sweeper is a mid mount design for larger outdoor forklifts that specializes in handling rough outdoor uneven or pothole filled conditions. Designed for permanent mounting.



The Remoras attaches to equipment you already own so you can complete two tasks at the same time.

A protective cage keeps the magnetic housing tucked up and out of harms way while it removes ferrous metal objects from the ground with bumps, ruts and potholes that would cause the hanging magnet to experience frequent direct ground strikes.

THE REMORAS IS A HANGING MAGNET DESIGNED TO TAKE A HIT

Additional Features

- Maximum pickup height – 8 ½" (using a two and a half inch nail).
- UHMW skid bars on bottom.
- Comes standard with Hanging Kit.
- Comes standard with protective PVC quick clean off sleeve.
- Steel ribbed cage provides solid protection.
- Comes in 6 different magnet widths from 3 to 8 feet.
- Welded design for extra durability and long life

The Remoras allows equipment operators to do their normal jobs while at the same time keeping the whole area clean of debris that would otherwise be causing flats on the equipment being operated or other vehicle traffic.

Manoeuvrability of your current equipment is not affected by attaching a hanging sweeper.



WRASSE HANGING MAGNET

The Wrasse magnetic bar is the most economical hanging magnet design option because you're paying for just a big magnet bar. Hang it underneath with the two included mounting chains and you're off and ready to go! The Wrasse comes in three different magnet strengths and different widths to suit your budget and needs.



It's the most economical but you must be careful to ensure the magnet won't hit the ground. This usually causes people to mount them too high to be effective. It can, however, be a competent solution in flat even surface conditions.

Once you hang the Wrasse on a vehicle it will work continuously while you go about doing your other work so you don't pay for extra labor time and money to just sweep up metal debris.

ECONOMICAL HANGING MAGNET

Additional Features


- Packed end to end with permanently charged magnets (unspaced).
- Available in 7 sizes lengths from 2 to 8 feet.
- Comes standard with Hanging Kit to attach magnet bar to your equipment.
- No extra labour costs to provide a much safer, cleaner environment.
- Durable and long-lasting aluminum construction that won't rust if left outside.
- Optional Quick Clean Off Sleeve for the Wrasse (3"x3" and 4.5" x 4.5").
- Quicker and faster than other methods of picking up metal debris.

Quick Clean Off Sleeve

Optional extruded PVC Quick Clean Off Sleeve for removing debris from the sweeper. Clean off the Wrasse while it is still in a hanging position underneath of your equipment.

- Speeds up removal of debris from your magnetic sweeper.
- Helps protect sweeper housing when hitting hard surfaces.
- Constructed out of durable PVC and molded to wrap around the magnetic housing.
- Locks in place and will not move when sweeper is in use.

Fits 3x3 & 4.5x4.5 sweepers in 26" – 98" lengths



NOMIC MAGNETICALLY MOUNTED SWEEPER

Designed to be completely concealed under your forklift where it cannot get damaged. The NOMIC easily mounts to the underside of your forklift with rare earth magnet tripods designed to swivel to attach to any metal curved or flat surface.



Easily pin together multiple NOMIC sections to make a magnetic sweeper as large or small as needed making it one of the most versatile magnetic sweepers on the market.


Allows 35 degrees of arc curvature so that multiple NOMIC units can form an arc to match the rear shape of your forklift.

MAGNET MOUNTED FORKLIFT MAGNET

Additional Features

- No tools needed for assembly or installation
- Fits underneath forklift so nothing sticks out to get damaged
- Durable Nylon Construction for severe abrasion resistance and long useful life
- Easy sweeping height adjustability with self tightening cord cleat
- Easily Mounts to underside of forklifts, vehicles, carts, dollies etc.
- Hangs from polyester paracords which allow the NOMIC to swing out of the way if the magnet hits anything on the ground
- If the magnet can't swing out of the way and the holding force of the rare earth pot magnets is overcome the magnet simply gets pulled off without damaging it or anything else.
- Permanently charged grade C8 magnets
- Rubber coated rare earth pot magnets won't slide on steel surfaces

Construction Features



FORAGER REAR MOUNTED MAGNET

The Forager Magnetic Sweeper is designed to fit almost every brand and size of forklift on the market right out of the box.



The Forager utilizes the rear pin on your forklift as the mounting point and the Forager mounting bracket is vented to ensure the pin mount can be used even if the exhaust on your forklift is vented through the pin slot.

The Forager was designed specifically to pickup and remove debris such as nails, screws, wire, discarded pieces from fabrication activities, bolts, nuts, pins, screw drivers, wrenches, etc. while operating the forklift.


REAR PIN MOUNT MAGNET DESIGNED FOR MAXIMUM FLEXIBILITY

Additional Features

- Permanently charged Grade C8 magnets.
- Sweeping Height Adjustment Feature.
- Durable and Protective PVC Quick Clean Off Sleeve
- Vertical Installation Angle Adjustment Feature.
- Available in 5 different sweeping widths.
- Control the sweeping height to accommodate any situation.
- Rugged Durability and Construction.
- Magnet Pivot Feature.
- Sand blasted steel frame painted with high quality urethane black paint.

The Forager can be mounted to forklifts of varying sizes. The multiple installation bracket positions combined with the adjustable sweeping height ensures different height forklifts of every kind are accommodated.

Heavy Duty Construction



GUARDIAN REAR MOUNTED MAGNET

The Guardian forklift magnet is a rear pin mount design that increases forklift maneuverability with a super slim profile that wraps around in an arc and hugs the back of the forklift. This slim profile is specifically designed for forklifts that need to maintain maximum manoeuvrability and/or need to work around tight, congested areas.



Easy clean off system by simply pulling up on debris Release Handles. Debris is cleaned off the magnet without bending over.

Mounting The Guardian to a forklift is simple and NO modifications to your forklift are necessary. The Guardian is mounted to the rear pin of the forklift and at the time of installation the vertical angle and height can be adjusted to ensure a super close fit to your forklift geometry.


SUPER SLIM FORKLIFT HUGGING MAGNETIC SWEEPER!

Additional Features

- Mounted to rear pin of forklift.
- Sweeping Height Adjustment in 1 inch increments at time of installation.
- Adjustable Angles to ensure magnet wraps around forklift at time of installation.
- Available in 1 sweeper width of 33 inches.
- Permanently charged Grade C8 magnets.
- Super slim profile design adds only 6.125 inches to overall forklift length.
- Easy clean off Debris Release Handles.
- Pickup height of 7.25 inches.
- Fits most forklifts without any modifications to the forklift.

The Guardian magnetic sweeper utilizes the Rear Pin on your forklift as the mounting point. The Guardian's Mounting Bracket is vented to ensure the Pin mount can be used even if the exhaust on your forklift is vented through the Pin slot.

Heavy Duty Construction



KURSK REAR MOUNTED MAGNET

The KURSK forklift magnet is a rear pin mount design whose frame only adds 2.25" inches to the back profile of the forklift.



The magnet bar itself is not positioned under the forklift counterweight like the NAOS, but rather hangs straight down from the KURSK frame and therefore will also stick out from the back of the forklift, but the single 20" inch magnet bar width keeps this to a minimum.

Adjustable clamping system provides continuous adjustable sweeping height, with no fixed positions, allowing precise sweeping height adjustment to suit your job site and forklift.


THE KURSK KEEPS IT SIMPLE. ONE SIZE. EASY FIT.

Additional Features

- Continuous, non-discrete sweeping height adjustment feature with no fixed settings for precise sweeping height adjustment to suit your job site conditions
- Chain mounted for ground strike protection
- Low profile design adding only 2.25" to forklift length to maintain forklift manoeuvrability in confined spaces
- Durable powder coat finish on steel frame

No modifications to your forklift are necessary to mount the KURSK. The KURSK ONLY uses the existing pin on your forklift for mounting. You don't have to modify, weld on or drill into your forklift to mount the KURSK.

Heavy Duty Construction



NAOS REAR MOUNTED MAGNET

The NAOS forklift magnet is a rear pin mount design that positions the magnet under the rear counterweight of the forklift to achieve a super low profile and keep forklift manoeuvrability to a maximum in tight surroundings with little room.



“Swing up” clean of Design allows for easy clean off without getting down and under the forklift. Just unscrew wing nuts and swing the magnet up to waist level to clean it off with a glove or rag over a garbage pail.

Ground strike protection provided by a pivoting magnet and pivoting magnet arms which allow the magnet to swing up and out of the way if the magnet strikes the ground.


TUCKS UNDER FORKLIFT FOR SUPER LOW PROFILE!

Additional Features

- Continuous sweeping height adjustment
- Available in 4 different sweeping widths to accommodate forklifts of varying sizes
- Magnet mounting arms pivot feature for ground strike protection
- Super low-profile design adding only 1.75" to forklift length to maintain forklift manoeuvrability in confined spaces
- "Swing Up" Clean Off design for easy and quick clean off of the magnet
- Durable powder coat finish on steel frame

The NAOS allows you to clean up metal debris as other normal activities are carried out without adding more permanently ongoing labor costs to do so. It results in negligible additional labor costs to solve the problem of flat tires because the magnet is picking up debris as the forklift does normal activities.

Heavy Duty Construction





FORKLIFT MAGNETIC SWEEPER CATALOGUE

MAGNET SPECIFICATIONS

UPLAND SPECIFICATIONS

Upland Series™	Upland
Maximum Lifting Height (using a 2.5" nail)	10.75"
Total Sweeper Weight	838 lbs
Sweeper Width	56"
Sweeping Height Adjustability	Yes, Adjustable sweeping height from 1"-4" via axle position adjustment
Sweeper Wheel Type	16.5" Flat Free Wheels with 5 bolt hubs
Cleaning Method	Flip down stainless-steel debris pan
Terrain Surface	All Terrain
SKU	UP56

OBLAST SPECIFICATIONS

Oblast™ Series	Oblast 52
SKU	OB52
Sweeper Width	52 inches
Cleaning Method	Flip down stainless steel debris pan
Sweeping Height Adjustability	Yes , continuous adjustment by using forklift to lift magnet up and down
Magnet Type	Ceramic 8
Maximum Lifting Height (using a 2.5" nail)	10.5" inches
Total Sweeper Weight	305 lbs
Total Shipping Weight	330 lbs
Shipping Dimensions	58"L x 21"W x 17"H



BLUETANG SPECIFICATIONS

Bluetang Series™	Bluetang 62	Bluetang 74	Bluetang 86	Bluetang 98
Sweeper Width	62"	74"	86"	98"
Magnetic Housing	4.5" x 4.5"	4.5" x 4.5"	4.5" x 4.5"	4.5" x 4.5"
Cleaning Method	Wipe clean with glove or rag or purchase optional Quick Clean Off Sleeve	Wipe clean with glove or rag or purchase optional Quick Clean Off Sleeve	Wipe clean with glove or rag or purchase optional Quick Clean Off Sleeve	Wipe clean with glove or rag or purchase optional Quick Clean Off Sleeve
Lifting Weight (using 2.5", 8 penny nails)	100lb	120lb	140lb	160lb
Housing Construction	Aluminum 1/8" walls	Aluminum 1/8" walls	Aluminum 1/8" walls	Aluminum 1/8" walls
Wheels	Not Available	Not Available	Not Available	Not Available
Magnetic Surface Area	240" (4" x 60")	288" (4" x 72")	336" (4" x 84")	384" (4" x 96")
Maximum Lifting Height (using 2.5", 8 penny nails)	8.5"	8.5"	8.5"	8.5"
Total Sweeper Weight	250 lbs	285.5 lbs	320 lbs	354.5 lbs
Total Shipping Weight	294.2 lbs	336.3 lbs	377.4 lbs	418.5 lbs
Shipping Dimensions	64"L x 24"W x 16"H	76"L x 24"W x 16"H	88"L x 24"W x 16"H	100"L x 24"W x 16"H
Fork Pockets	Inside dimensions are 7 5/8" w x 1 5/8" H	inside dimensions are 7 5/8" w x 1 5/8" H	Inside dimensions are 7 5/8" w x 1 5/8" H	Inside dimensions are 7 5/8" w x 1 5/8" H
Accessories	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve
Maintenance	None	None	None	None
SKU	BT62	BT74	BT86	BT98



AETHER SPECIFICATIONS

Aether Series™	Aether 62	Aether 74	Aether 86	Aether 98
Sweeper Width	62"	74"	86"	98"
Cleaning Method	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve
Sweeping Height Adjustability	Yes, 2 ½" minimum, recommended from 3" to 5" maximum	Yes, 2 ½" minimum, recommended from 3" to 5" maximum	Yes, 2 ½" minimum, recommended from 3" to 5" maximum	Yes, 2 ½" minimum, recommended from 3" to 5" maximum
Magnet Type	Ceramic 8	Ceramic 8	Ceramic 8	Ceramic 8
Maximum Lifting Height (using a 2.5" nail)	9 inches	9 inches	9 inches	9 inches
Ground Clearance	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches
Wheels	10" x 3" foam filled flat proof wheels with 5/8" ball bearings, each with a 100 kg (220 lb) rating	10" x 3" foam filled flat proof wheels with 5/8" ball bearings, each with a 100 kg (220 lb) rating	10" x 3" foam filled flat proof wheels with 5/8" ball bearings, each with a 100 kg (220 lb) rating	10" x 3" foam filled flat proof wheels with 5/8" ball bearings, each with a 100 kg (220 lb) rating
Housing Construction	Aluminum	Aluminum	Aluminum	Aluminum
Maintenance	None	None	None	None
Included Accessories	Comes standard with 6 stabilizing chains and Quick Clean Off Sleeve	Comes standard with 6 stabilizing chains and Quick Clean Off Sleeve	Comes standard with 6 stabilizing chains and Quick Clean Off Sleeve	Comes standard with 6 stabilizing chains and Quick Clean Off Sleeve
Total Sweeper Weight	230.3 lbs	264.3 lbs	297.3 lbs	330.3 lbs
Total Shipping Weight	271.8 lbs	309.2 lbs	347.8 lbs	386.3 lbs
Shipping Dimensions	64"L x 16"W x 13"H	76"L x 16"W x 13"H	88"L x 16"W x 13"H	100"L x 16"W x 13"H
SKU	AE62/4.5	AE74/4.5	AE86/4.5	AE98/4.5



EIGER 3X3 SPECIFICATIONS

Eiger Series™ (3" x 3")	Eiger 38 (3" x 3")	Eiger 50 (3" x 3")	Eiger 62 (3" x 3")	Eiger 74 (3" x 3")	Eiger 86 (3" x 3")	Eiger 98 (3" x 3")
SKU	EG38/3	EG50/3	EG62/3	EG74/3	EG86/3	EG98/3
Sweeper Width	38"	50"	62"	74"	86"	98"
Ground Clearance	Adjustable, with a minimum of 1.75 inches	Adjustable, with a minimum of 1.75 inches	Adjustable, with a minimum of 1.75 inches	Adjustable, with a minimum of 1.75 inches	Adjustable, with a minimum of 1.75 inches	Adjustable, with a minimum of 1.75 inches
Cleaning Method	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard
Sweeping Height Adjustability	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height
Maximum Lifting Height (using a 2.5 inch nail)	5.75" inches	5.75" inches	5.75" inches	5.75" inches	5.75" inches	5.75" inches
Housing Construction	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Wheels	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each	8" x 2.5" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 136kg (300 lbs) capacity each
Maintenance	None	None	None	None	None	None
Included Accessories	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve
Optional Accessories	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit
Total Sweeper Weight	55 lbs	69 lbs	83 lbs	97 lbs	112 lbs	126 lbs
Total Shipping Weight	60.5 lbs	75.6 lbs	90.2 lbs	105.3 lbs	120.3 lbs	135.9 lbs
Shipping Dimensions						
Box 1	41"L x 5"W x 5"H	53"L x 5"W x 5"H	65"L x 5"W x 5"H	77"L x 5"W x 5"H	89"L x 5"W x 5"H	101"L x 5"W x 5"H
Box 2	11"L x 11"W x 7"H	11"L x 11"W x 7"H	11"L x 11"W x 7"H	11"L x 11"W x 7"H	11"L x 11"W x 7"H	11"L x 11"W x 7"H
Box 3	49"L x 7"W x 7"H	53"L x 7"W x 7"H	65"L x 7"W x 7"H	77"L x 7"W x 7"H	89"L x 7"W x 7"H	101"L x 7"W x 7"H



EIGER 4.5X4.5 SPECIFICATIONS

Eiger Series™ (4.5" x 4.5")	Eiger 38 (4.5" x 4.5")	Eiger 50 (4.5" x 4.5")	Eiger 62 (4.5" x 4.5")	Eiger 74 (4.5" x 4.5")	Eiger 86 (4.5" x 4.5")	Eiger 98 (4.5" x 4.5")
SKU	EG38/4.5	EG50/4.5	EG62/4.5	EG74/4.5	EG86/4.5	EG98/4.5
Sweeper Width	38"	50"	62"	74"	86"	98"
Ground Clearance	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches	Adjustable, with a minimum of 2.5 inches
Cleaning Method	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard	Quick Clean Off Sleeve comes standard
Sweeping Height Adjustability	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height	Yes – by changing mounting height
Maximum Lifting Height (using a 2.5 inch nail)	9.25" inches	9.25" inches	9.25" inches	9.25" inches	9.25" inches	9.25" inches
Housing Construction	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Wheels	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each	10" x 3" foam filled flat proof wheels with Steel hubs and 5/8 inch ball bearings rated at 100kg (220 lbs) capacity each
Maintenance	None	None	None	None	None	None
Included Accessories	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve	Comes standard with 4 12 inch hanging chains, 8 quick clips, and Quick Clean Off Sleeve
Optional Accessories	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit	Two Chain Hanging Kit Four Chain Hanging Kit
Total Sweeper Weight	124.4 lbs	158.4 lbs	191.8 lbs	225.8 lbs	258.8 lbs	291.8 lbs
Total Shipping Weight	150 lbs	188.2 lbs	226 lbs	264.2 lbs	301.5 lbs	338.7 lbs
Shipping Dimensions	40"L x 12"W x 14"H	52"L x 12"W x 14"H	64"L x 12"W x 14"H	76"L x 12"W x 14"H	88"L x 12"W x 14"H	100"L x 12"W x 14"H



REMORAS SPECIFICATIONS

Remoras Series™	Remoras 38	Remoras 50	Remoras 62	Remoras 74	Remoras 86	Remoras 98
Sweeper Width	38"	50"	62"	74"	86"	98"
Ground Clearance	1" to 5" suspension height	1" to 5" suspension height	1" to 5" suspension height	1" to 5" suspension height	1" to 5" suspension height	1" to 5" suspension height
Cleaning Method	Comes standard with a Quick Clean Off Sleeve accessory	Comes standard with a Quick Clean Off Sleeve accessory	Comes standard with a Quick Clean Off Sleeve accessory	Comes standard with a Quick Clean Off Sleeve accessory	Comes standard with a Quick Clean Off Sleeve accessory	Comes standard with a Quick Clean Off Sleeve accessory
Height Adjustability	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"
Housing Construction	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls
Wheels	None	None	None	None	None	None
Magnetic Surface Area	144" (4' x 36")	192" (4' x 48")	240" (4' x 60")	288" (4' x 72")	336" (4' x 84")	384" (4' x 96")
Maximum Lifting Height (using 2.5", 8 penny nails)	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches
Accessories	Comes standard with 4 hanging chains and Quick Clean Off Sleeve	Comes standard with 4 hanging chains and Quick Clean Off Sleeve	Comes standard with 4 hanging chains and Quick Clean Off Sleeve	Comes standard with 4 hanging chains and Quick Clean Off Sleeve	Comes standard with 4 hanging chains and Quick Clean Off Sleeve	Comes standard with 4 hanging chains and Quick Clean Off Sleeve
Total Sweeper Weight	155 lbs	204 lbs	251 lbs	296 lbs	344 lbs	389 lbs
Total Shipping Weight	188 lbs	234 lbs	278 lbs	335 lbs	378 lbs	426 lbs
Shipping Dimensions	44"L x 21"W x 13"H	56"L x 21"W x 13"H	68"L x 21"W x 13"H	80"L x 21"W x 13"H	92"L x 21"W x 13"H	104"L x 21"W x 13"H
Maintenance	None	None	None	None	None	None
SKU	RM38/4.5	RM50/4.5	RM62/4.5	RM74/4.5	RM86/4.5	RM98/4.5



WRASSE 2X5 SPECIFICATIONS

Wrasse Series™ (2" x 5")	Wrasse 26	Wrasse 38	Wrasse 50	Wrasse 62	Wrasse 74	Wrasse 86	Wrasse 98
Sweeper Width	26"	38"	50"	62"	74"	86"	98"
Ground Clearance	1" to 3" suspension	1" to 3" suspension	1" to 3" suspension	1" to 3" suspension	1" to 3" suspension	1" to 3" suspension	1" to 3" suspension
Cleaning Method	Wipe clean with glove or rag.	Wipe clean with glove or rag.	Wipe clean with glove or rag.	Wipe clean with glove or rag.	Wipe clean with glove or rag.	Wipe clean with glove or rag.	Wipe clean with glove or rag.
Height Adjustability	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"	Change suspension height to a maximum of 3"
Housing Construction	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls
Wheels	None	None	None	None	None	None	None
Magnetic Surface Area	96" (4" x 24")	144" (4" x 36")	192" (4" x 48")	240" (4" x 60")	288" (4" x 72")	336" (4" x 84")	384" (4" x 96")
Maximum Lifting Height (using 2.5", 8 penny nails)	4.75 inches	4.75 inches	4.75 inches	4.75 inches	4.75 inches	4.75 inches	4.75 inches
Total Sweeper Weight	24 lbs	35 lbs	47 lbs	58 lbs	70 lbs	81 lbs	93 lbs
Total Shipping Weight	26 lbs	38 lbs	50 lbs	62 lbs	74 lbs	86 lbs	98 lbs
Shipping Dimensions	28"L x 7"W x 4"H	40"L x 7"W x 4"H	52"L x 7"W x 4"H	64"L x 7"W x 4"H	76"L x 7"W x 4"H	88"L x 7"W x 4"H	100"L x 7"W x 4"H
Accessories	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.
Maintenance	None	None	None	None	None	None	None
SKU	W26/2	W38/2	W50/2	W62/2	W74/2	W86/2	W98/2



WRASSE 3X3 SPECIFICATIONS

Wrasse Series™ (3" x 3")	Wrasse 26	Wrasse 38	Wrasse 50	Wrasse 62	Wrasse 74	Wrasse 86	Wrasse 98
Sweeper Width	26"	38"	50"	62"	74"	86"	98"
Ground Clearance	1" to 4" suspension	1" to 4" suspension	1" to 4" suspension	1" to 4" suspension	1" to 4" suspension	1" to 4" suspension	1" to 4" suspension
Cleaning Method	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.
Height Adjustability	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"	Change suspension height to a maximum of 4"
Housing Construction	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls
Wheels	None	None	None	None	None	None	None
Magnetic Surface Area	60" (2.5" x 24")	90" (2.5" x 36")	120" (2.5" x 48")	150" (2.5" x 60")	180" (2.5" x 72")	210" (2.5" x 84")	240" (2.5" x 96")
Maximum Lifting Height (using 2.5", 8 penny nails)	6 inches	6 inches	6 inches	6 inches	6 inches	6 inches	6 inches
Total Sweeper Weight	28 lbs	40 lbs	53 lbs	65 lbs	77 lbs	89 lbs	102 lbs
Total Shipping Weight	28 lbs	41 lbs	56 lbs	71 lbs	84 lbs	92 lbs	105 lbs
Shipping Dimensions	29"L x 5"W x 5"H	41"L x 5"W x 5"H	53"L x 5"W x 5"H	65"L x 5"W x 5"H	77"L x 5"W x 5"H	89"L x 5"W x 5"H	101"L x 5"W x 5"H
Accessories	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.
Maintenance	None	None	None	None	None	None	None
SKU	W26/3	W38/3	W50/3	W62/3	W74/3	W86/3	W98/3



WRASSE 4.5X4.5 SPECIFICATIONS

Wrasse Series™ (4.5" x 4.5")	Wrasse 26	Wrasse 38	Wrasse 50	Wrasse 62	Wrasse 74	Wrasse 86	Wrasse 98
Sweeper Width	26"	38"	50"	62"	74"	86"	98"
Ground Clearance	1" to 5" suspension	1" to 5" suspension	1" to 5" suspension	1" to 5" suspension	1" to 5" suspension	1" to 5" suspension	1" to 5" suspension
Cleaning Method	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.	Wipe clean with glove or rag. Optional Quick Clean Off Sleeve available.
Height Adjustability	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"	Change suspension height to a maximum of 5"
Housing Construction	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls	Welded Aluminum 1/8" walls
Wheels	None	None	None	None	None	None	None
Magnetic Surface Area	96" (4" x 24")	144" (4" x 36")	192" (4" x 48")	240" (4" x 60")	288" (4" x 72")	336" (4" x 84")	384" (4" x 96")
Maximum Lifting Height (using 2.5", 8 penny nails)	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches
Total Sweeper Weight	65 lbs	92.5 lbs	120 lbs	147.5 lbs	175 lbs	202.5 lbs	230 lbs
Total Shipping Weight	68 lbs	96.5 lbs	125.6 lbs	176.3 lbs	209.1 lbs	241.5 lbs	273.8 lbs
Shipping Dimensions	30"L x 7"W x 7"H	42"L x 7"W x 7"H	54"L x 7"W x 7"H	64"L x 10"W x 12"H	76"L x 10"W x 12"H	88"L x 10"W x 12"H	100"L x 10"W x 12"H
Accessories	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.	Wrasse Fork Pockets Comes standard with a 2 Chain Hanging Kit.
Maintenance	None	None	None	None	None	None	None
SKU	W26/4.5	W38/4.5	W50/4.5	W62/4.5	W74/4.5	W86/4.5	W98/4.5

NOMIC SPECIFICATIONS

Nomic Series™	Nomic
Maximum Lifting Height (using a 2.5" nail)	3.5"
Total Sweeper Weight	3.5 lbs
Sweeper Width	6"
Sweeping Height Adjustability	Yes, recommended 1" to 2" maximum
Sweeper Wheel Type	None
Cleaning Method	Wipe clean with glove or rag
Terrain Surface	Flat Surfaces
Pricing Range	\$98.99 USD
SKU	NO6



FORAGER SPECIFICATIONS

Forager Series™	Forager 26	Forager 32	Forager 38	Forager 44	Forager 50
Sweeper Width	26"	32"	38"	44"	50"
Cleaning Method	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve	Quick Clean Off Sleeve
Sweeping Height Adjustability	Yes, continuous adjustment	Yes, continuous adjustment	Yes, continuous adjustment	Yes, continuous adjustment	Yes, continuous adjustment
Magnet Type	Ceramic 8	Ceramic 8	Ceramic 8	Ceramic 8	Ceramic 8
Maximum Lifting Height (using 2.5", 8 penny nails)	8.5 inches	8.5 inches	8.5 inches	8.5 inches	8.5 inches
Total Sweeper Weight	118 lbs	136.5 lbs	153.5 lbs	169.5 lbs	187.5 lbs
Total Shipping Weight	126.5 lbs	144.5 lbs	162.5 lbs	179.5 lbs	197.5 lbs
Shipping Dimensions	30"L x 9"W x 38"H	36"L x 9"W x 38"H	42"L x 9"W x 38"H	48"L x 9"W x 38"H	54"L x 9"W x 38"H
SKU	F026	F032	F038	F044	F050



GUARDIAN SPECIFICATIONS

Guardian Series™	Guardian 33
Sweeper Width	33"
Cleaning Method	Quick Release Pull Up Handles
Sweeping Height Adjustability	Yes, in 1 inch increments
Magnet Type	Ceramic 8
Maximum Lifting Height (using 2.5", 8 penny nails)	7.25 inches
Total Sweeper Weight	142 lbs
Total Shipping Weight	151.8 lbs
Shipping Dimensions	The Guardian ships in 4 boxes having the following dimensions: Box 1: 19" x 13" x 7" Box 2: 27" x 16" x 8" Box 3: 27" x 16" x 8" Box 4: 27" x 16" x 8"
SKU	GU33

KURSK SPECIFICATIONS

Kursk™ Series	Kursk 20
SKU	KS20
Sweeper Width	20"
Cleaning Method	Wipe clean with glove or rag
Sweeping Height Adjustability	Yes , continuous adjustment
Magnet Type	Ceramic 8
Maximum Lifting Height (using a 2.5" nail)	4.25" inches
Total Sweeper Weight	23.3 lbs
Total Shipping Weight	24.8 lbs
Shipping Dimensions	29"L x 7"W x 7"H

NAOS SPECIFICATIONS

NAOS™ Series	NAOS 18	NAOS 20	NAOS 22	NAOS 24
SKU	NA18	NA20	NA22	NA24
Sweeper Width	18"	20"	22"	24"
Cleaning Method	Wipe clean with glove or rage	Wipe clean with glove or rage	Wipe clean with glove or rage	Wipe clean with glove or rage
Sweeping Height Adjustability	Yes , continuous adjustment	Yes , continuous adjustment	Yes , continuous adjustment	Yes , continuous adjustment
Magnet Type	Ceramic 8	Ceramic 8	Ceramic 8	Ceramic 8
Maximum Lifting Height (using a 2.5" nail)	4.25" inches	4.25" inches	4.25" inches	4.25" inches
Total Sweeper Weight	25.5 lbs	26.5 lbs	27.5 lbs	28.5 lbs
Total Shipping Weight	28.6 lbs	29.7 lbs	30.8 lbs	31.9 lbs
Shipping Dimensions	27"L x 16"W x 8"H	27"L x 16"W x 8"H	27"L x 16"W x 8"H	27"L x 16"W x 8"H

